




InK
SiDe

B i A
η C o



COD. S10500 Bianco

30x60 



COD. S29500 Bianco

15,3x100 



Grigio



COD. S10502 Grigio

30x60 



COD. S29502 Grigio

15,3x100 





Per
LA



COD. S10501 Perla

30x60 



COD. S29501 Perla

15,3x100 




TAUPE



COD. S10503 Taupe

30x60 



COD. S29503 Taupe

15,3x100 





Setting made by: **Floor** = Inkside 15,3x100 Bianco
Wall = Inkside 15,3x100 Perla





Setting made by: **Floor** = Inkside 15,3x100 Grigio
Wall = Inkside 15,3x100 Perla



FORMATi formats




15,3x100




30x60


GAMMaCOLORI ColorRange



BIANCO



PERLA



GRIGIO




TAUPE

GRADO DI VARIAZIONE CROMATICA :


Degree of colour change

V1




ASPETTO UNIFORME
Uniform Apperance

V3




MODERATA VARIAZIONE
Moderate Variation

V2



LIEVE VARIAZIONE
Slight Variation

V4



INTENSA VARIAZIONE
Substantial Variation



PEI: IV



SPESSORE :

Thickness



15,3x100	30x60
9,1 mm	8,1 mm

DCOF:

0,42

FATTORE DI RESISTENZA
ALLA SCIVOLOSITÀ :

Anm-Skeed Resistance Grade

R10



TECNOLOGIA DIGITALE :
Digital Tecnology



IMBALLI / Packing :

SCATOLA	BOXES	KARTONS	BOITES	PALETTE	PALLETS	PALETTS	PALLET
<i>F.to</i>	<i>Pz</i>	<i>m²</i>	<i>Kg</i>	<i>F.to</i>	<i>Sc</i>	<i>m²</i>	<i>Kg</i>
15,3x100	8	1,23	25	15,3x100	42	51,66	1070
30x60	6	1,08	23,5	30x60	40	43,2	960



Setting made by: Inkside 15,3x100 Taupe