


Piasentina

The force of the wind combined with the power of water and the passage of time creates the uniqueness of the Piasentina Stone.

A product that crosses centuries of history, cladding and decorating all kinds of interior, thus conferring harmony and charm in the most natural way.





Beige 60x60 cm Polished



Taupe 60x120 cm Polished - Taupe 60x120 cm Matt

Piasentina

Beige



60x60 cm Vitrified - Polished rect.
 ∇ 9,1 mm

Taupe




60x60 cm Vitrified - Polished rect.
 ∇ 9,1 mm

Grey



60x60 cm Vitrified - Polished rect.
 ∇ 9,1 mm

Beige



60x60 cm Vitrified - Matt rect.
 ∇ 9,1 mm

Taupe



60x60 cm Vitrified - Matt rect.
 ∇ 9,1 mm

Grey



60x60 cm Vitrified - Matt rect.
 ∇ 9,1 mm



60x120 cm Vitrified - Polished rect.
 ∇ 11 mm




60x120 cm Vitrified - Polished rect.
 ∇ 11 mm



60x120 cm Vitrified - Polished rect.
 ∇ 11 mm



60x120 cm Vitrified - Matt rect.
 ∇ 11 mm



60x120 cm Vitrified - Matt rect.
 ∇ 11 mm



60x120 cm Vitrified - Matt rect.
 ∇ 11 mm



80x80 cm Vitrified - Polished rect.
 ∇ 11,5 mm




80x80 cm Vitrified - Polished rect.
 ∇ 11,5 mm



80x80 cm Vitrified - Polished rect.
 ∇ 11,5 mm



80x80 cm Vitrified - Matt rect.
 ∇ 11,5 mm



80x80 cm Vitrified - Matt rect.
 ∇ 11,5 mm



80x80 cm Vitrified - Matt rect.
 ∇ 11,5 mm

SHADE VARIATION



V3

WATER ABSORPTION



≤ 0,5 %

BREAKING STRENGTH (S) ISO 10545-4



≥ 1300 N

CHEMICAL RESISTANCE ISO 10545-13



GLA
GHA
(Resistant)

FROST RESISTANCE ISO 10545-12



Resistant

STAIN RESISTANCE ISO 10545-14



Class 5
(Resistant)